

GCS24U

4-Port USB Cable KVM Switch



IOGEAR's new GCS24U 4-Port USB Cable KVM allows users to share a VGA monitor, a USB mouse, and a USB keyboard between four computers. Users can switch between computers using a manual switch located on a wired remote control that can be placed conveniently on your desk. It offers an out-of-box / entirely plug-in-play solution with no additional cables or software installation needed. It supports multiple operating systems including Windows, Sun, and Mac. It is also powered through the USB bus and thus does not require a power supply to run. It is the ideal KVM for those who want a competitively priced, entry level KVM that will allow them to multitask with four computers at their disposal.

- One USB keyboard, USB mouse, and VGA monitor control four computers
- Max resolution: 2048 x 1536, DDC2B
- Plug-n-Play monitor support
- Molded-in cables to simplify setup
- Compact design features two attached KVM (USB and VGA) cables
- Compatible with PC, MAC and SUN operating platforms
- Supports Windows 2000 or higher, Mac OS 9.0 or higher, Sun Solaris 9 or higher
- No software drivers required – simply connect the cables to the computers
- Computer selection via 6 ft remote control cable that can be placed on your desk for easy reach
- Full Mac keyboard support
- Supports programmable mice
- No power adapter required



- Connect your monitor, keyboard and mouse to the KVM
- Connect the KVM USB cables to each computer
- Press the button on the remote controller to switch computers



Requirements

Console:

- 1 VGA display
- 1 set of USB keyboard and mouse

Computers:

- 1 VGA port
- 2 USB ports

Operating Systems:

- Windows® 7, Windows® 8.1, Windows® 10
- Mac OS® 9 to 10.x
- Oracle® Solaris
- Linux®, Unix and other USB supported systems*

*Additional drivers and support may be needed

Package Contents

- 1 x 4-Port USB Cable KVM
- 1 x Quick Start Guide
- 1 x Warranty Card

Specifications

Function	GCS24U	Dimensions	GCS24U
Housing		POP Information	
Case	Plastic	10" Peg Hook	3
Console Connectors		6" Peg Hook	2
Monitor	1 x HDB-15 Female	Unit Dimensions	
Keyboard	1 x Type-A Female	Width	6.375in.
Mouse	1 x Type-A Female	Height	7.875in.
CPU Connectors		Depth	2.375in.
Monitor	4 x HDB-15 Male	Unit Package Dimensions	
Keyboard & Mouse	4 x Type-A Male	Width	6.625in.
Switches		Height	9.125in.
Port Selection	Push Button	Depth	3.875in.
Video Resolution	2048x1536, DDC2B	Master Carton	
Cable Length	4ft	Width	9.75in.
Cable Type	Bonded with KVM	Height	7.375in.
Environment		Depth	16in.
Operation Temperature	0C~50C	Master Carton Qty.	6
Storage Temperature	-20C~60C	Weight	
Humidity	0~80% RH, NC	Master Carton Wt.	11.22lb
		Unit Pack Wt.	1.7lb
		Unit Wt.	1.46lb